

Fairline Squadron 74

€599,950 • Kiel Germany • Used • 2005

Presented by

Justin Garwell Phone: +44 (0) 1305 766504

JD YACHTS LIMITED 80 THE ESPLANADE DT4 7AA WEYMOUTH United Kingdom (UK)





JD YACHTS LIMITED



7zea.com

Details

Make:	Fairline
Model:	Squadron 74
Year:	2005
Condition:	Used
Engine:	CAT C30, 1550 hp
Engine type:	
Fuel type:	Diesel
Length:	22.7 m (74.48 ft)
Beam:	5.7 m (18.70 ft)
Cabins:	0
Berths:	0

ENG 2005. 2 x 1550 HP CAT C30 8 berths in 4 cabins plus crew Lying: Kiel Germany

ENG Extras

Air Conditioning Throughout 2 x 17.5kW Onan Generators Extended Hydraulic Bathing Platform Besenzoni Hydraulic Flybridge Crane Hydraulic Passarelle New Dockmate (for both engines and thrusters) SidePower Bow & Stern Thruster with Remote Control Upgraded Raymarine Navigation Equipment to Both Helms Upgraded Raymarine Engine Monitoring System to Both Helms New Carpet Throughout New Upholstery to Saloon & Master Cabin Flybridge Upholstery Renewed 2019 Cockpit Upholstery Renewed 2019 New Teak to Deck Teak Laid Bathing Platform Teak Laid Cockpit Teak Laid Flybridge Teak Laid Side Decks New Ice Maker & Fridge to Flybridge New Flybridge Cover Flybridge Bimini Top KVH Trackvision Dishwasher

Standard Specification

Aft Cockpit/Transom

Access hatch to engine room Aft cockpit enclosure covers Bathing platform lights Blue LED lighting to cockpit Dockside television and phone inlets Emergency boat shutdown switch Emergency fuel shutoff valves Fender stowage Low-level lights and lights under flybridge overhang Manual bilge pump access Remote control, concealed, telescopic hydraulic passerelle Service corridor accessed via cockpit and transom door Solid teak handrail surround Stainless Steel framed sliding door to main saloon - Teak-laid floor throughout self-draining cockpit Various cockpit lockers Warp lockers

Aft Crew Cabins

Clothes washer/dryer- En suite extractor fan Full length berths x 2 (new mattresses) Hanging locker (half-height) En suite shower/heads facility (new water and waste pumps)

Air Conditioning

Adjustable air vents to all upper-level living accommodation Air conditioning unit to aft cabins Air conditioning/reverse cycle heating system to main accommodation including screen demist to lower helm Digital controls to all air handlers

Deck

12v weatherproof socket Anchor chain locker Anchor winch controls Calibrated anchor chain Concealed fuel fillers port and starboard Deck wash points fore and aft External covers to windscreen Fairlead(s) aft Fender stowage Full set of IMCO navigation lights Grab rail on each transom wing Hot and cold water transom shower Hydraulic anchor winch Recessed self-draining area on foredeck with coachroof sun cushions and adjustable backrests Remote control searchlight with controls at both helm stations Removable Stainless Steel guardrails for bathing platform **Riding light** Rigid swim ladder to bathing platform Rubbing stroke Self-stowing through-hull Delta anchor Stainless Steel bow fairlead(s) and mooring drums aft Stainless Steel bow, spring and stern cleats Stainless Steel handrails Stainless Steel hull protection plate under bow Stainless Steel pantograph windscreen wipers Stainless Steel pulpit Teak-laid bathing platform Teak-laid side deck Teak-laid bulwarks Transom gate from cockpit to integral bathing platform Twin horns (new) Water fillers to port and starboard Windscreen washers

Dining Room

Dining privacy from helm provided by panelled partition Dining table with Burr Elm features Freestanding chairs x 6 LED ceiling lights Serving window from galley

Electrical Systems

All 12v equipment supplied from separate battery All 240v, 24v and 12v circuits (where applicable) protected by circuit breakers with main electrical load control panel Emergency boat shutdown switch Heavy duty circuit breakers Isolating switches to all batteries Remotely and manually operated isolating switches for all batteries 12 Volt: Battery charger 60 amp Battery 1 x 120Ah (new) 24 Volt: 24v-12v 20 amp converter (new victron) Battery isolating switches located in service corridor Emergency battery coupling system permits each engine to start from opposite engine battery bank Batteries 4 x 210Ah capacity for domestic services (new) Batteries 4 x 200Ah exclusively for starting each engine (new 2021) 240 Volt: 240v power points throughout the boat (fed from shore power or generator) Battery charger 75 amp (new victron) Glendinning cable masters with twin 63 amp x 100ft shoreline sockets stowed in drums

Isolation transformers 2 x 18KvA each with soft starts Onan generator 2 x 17.5kW with through-hull exhausts-Regulated charger 100 amp with 2 x 3 amp slave to port and starboard batteries 5000w invertors (new victron)

Engines and Sterngear

Access through cockpit floor hatches to engine bay and service corridor

All Sterngear, engines, fuel tank(s) etc. electrically bonded Automatic engine bay fire extinguisher system with warnings at both helms

Automatic high capacity bilge pumps for forward bilge, engine bay and rudder bay

Cathodic protection

Dripless shaft seals

Electro-hydraulic trim tabs with cathodic protection

Engine bay lights

Engine room soundproofing Exhaust overheat warning system

High capacity emergency manual bilge pump system with changeover valves

High corrosion-resistant TEMET shafts

Large diameter contra-rotating Manganese Bronze propellers (new 2024)

Lever sea cocks on all inlets and outlets located less than 15cm above the waterline

Manganese Bronze 'P' brackets and rudders Reverso oil change system

Water cooled through-hull engine silencers

Flybridge and Second Helm Position

12v weatherproof socket

Access via stairway from wheelhouse and by teak stairway from cockpit Acrylic dodgers Adjustable/Tilt steering wheel Bilge pump switches with integral operating warning lights and

audible alarms

Bowthruster controls Companion seating to helm

New Windscreen for Helm

Dedicated dining seating with large teak table Drinks holders Echosounder and speedometer/distance log repeaters with sea water temperature read out

Electrically adjusted backrest creating extended sunbathing deck

Electronic single-lever throttle and gear controls Ensign and staff Flybridge bar with new refrigerator, new icemaker, sink and electronic griddle

Helm position indicator- High speed magnetic compass-Instrument covers- Large sunbathing area aft with nonabsorbent foam filled cushions

Liferaft stowage

Open scanner radar to mast

Powered steering

Remote anchor winch controls

Repeat autopilot controls

Repeat engine bay fire extinguisher controls

Repeat flybridge engine instrumentation, controls and electronics/ $3 \times New$ Raymarine Monitors

Repeat radar/chartplotter display

Searchlight controls

Stainless Steel handrails

Teak-laid flybridge deck

Teak-laid oversize flybridge steps

Trim tab controls

Twin radar masts with down-lighting

Two forward facing helm seats

VHF Radio telephone incorporating intercom to main helm Wind-deflecting screen

Forward En Suite & Guest Bathroom

220v/240v shaving point Extractor fan Freshwater vacuum flush toilets (new seals) Full set of bathroom fittings Full standing height shower stalls with solid teak gratings, seat and hinged glass door Mirror Skylight Stainless Steel opening porthole(s) with flyscreen Vanity unit with pedestal washbasin(s)

Forward Stateroom

Access to en suite shower room/heads Bedside stowage Built-in security safe CD/Radio LED ceiling lights Kingsize double bed with interior sprung mattress Large hatch with flyscreen and concealed blinds to foredeck LCD television 13" Mid-level port and starboard lockers Mirror Reading lights Stainless Steel opening porthole(s) with flyscreen Wardrobe(s)

Freshwater System

Automatic, pressurised supply with manual 'OFF' override switch at lower helm Calorifier hot water system Shore power immersion heater 2kW 240v - Water tanks

Fuel System

Fuel filler splash stop and anti-foaming device Fuel sight gauges High capacity water separators and fuel filters with audible alarms at lower helm Individual fillers and vents to port and starboard Integrated cross-over fuel system Marine grade alloy fuel tanks x 2 Self-balancing fuel filling system

Galley

Crockery stowage Cutlery drawer Dedicated freezer below countertop Dedicated refrigerator below countertop Dishwasher Electric ceramic/halogen hob (4 burner) Microwave-oven Extractor fan LED ceiling lights Lacquered cupboard doors Open-plan galley with powered screen Sinks x 2 with hot and cold mixer tap Teak and Holly floor Trash compactor Worktop lights

Hullform and Construction

All gel coat and glass fibre hand laid with unidirectional, biaxial and woven rovings Bowthruster (hydraulic) 25hp Deep V forward; 18deg deadrise aft- Designed by Bernard Olesinski and the Fairline design team Full length moulded spray deflector Hull/deck join bolted and bonded Integrally moulded engine bearers Isophthalic gel coat backed by isophthalic resin-rich powderbound glass mat The deck incorporates polyurethane foam cores for high

7zea

strength and excellent thermal insulation -The integral bathing platform gives the boat a longer waterline length for improved performance, particularly at reduced power settings The propellers are set in semi-tunnels enabling the engines to be located further aft, also reducing draught and improving efficiency by reducing the shaft angle Transverse and longitudinal strengthening stringers throughout hull

Hydraulic System

Centralised hydraulic system (garage door rams/tender winch/passerelle/transom door/bowthruster and windlass)

Main Helm Position

12v socket Access from helm to deck via 2 electrically locking side doors Adjustable air conditioning vents Adjustable tilt steering wheel Bilge pump switches with integral operating warning lights and audible alarms Bowthruster controls Centralised vacuum cleaning system for lower and upper decks- Chart stowage Chartable and light- Controls far engine bay fire extinguisher system Domestic water management system Drinks holders Echosounder and speedometer/distance log repeater with sea water temperature read out Electronic single-lever throttle and gear controls Engine diagnostic system - 2 New Raymarine Monitors Foghorn with siren and loudhailer facility Full engine instrumentation including; tachometers, oil pressure gauges, temperature gauges and battery condition indicators, audible alarms and engine hour meters GPS/radar/chartplotter interfaced with autopilot Helm position indicator High speed magnetic compass Powered steering Red night-light illumination to helm Remote anchor winch controls Searchlight controls Teak and Holly floor Trim tab controls Twin independent Recaro helm and co-pilot seats with electric adjustment VHF Radio telephone incorporating intercom to upper helm Main Saloon

Drinks cabinet complete with crystal glasses Full-height standing headroom LED ceiling lights Luxurious saloon appointments including 30" LCD television and state-of-the-art Bose surround sound DVD/CD/Radio built into a tailor-made entertainment centre Overhead handrail Reading chair(s) (new upholstery) Sideboard with icemaker Sofa (new upholstery) Table lamps Wall-mounted bar unit

Master En Suite Bathroom

220v/240v shaving point Bidet Extractor fan Freshwater vacuum flush toilets (new pumps) Full set of bathroom fittings Full standing height shower stalls with solid teak gratings and hinged glass door LED ceiling lights Large walk-in shower with solid teak gratings and body-jets Mirror Twin portrait portholes with flyscreen Vanity unit with twin pedestal glass washbasins

Master En Suite Dressing Room

Built-in security safe LED ceiling lights Hanging rails and drawers to optimise space Mirror

Master Stateroom

Access to en suite shower room/heads Bedside stowage Drawer(s) under bed Full width Master Stateroom with triple portrait portholes port and starboard Full-height standing headroom LED ceiling lights Home Cinema Surround Sound CD/Radio/DVD Kingsize double bed with interior sprung mattress LCD television 15" Mirror Reading lights Recessed bookshelves Sofa (new upholstery) Twin bedside tables Vanity unit/bureau with chair, 240v power, telephone and inverter points

Port Guest Cabin

Access to en suite shower room/heads Bedside stowage CD/Radio Drawer(s) under bed Full length berths x 2 with interior sprung mattresses LED ceiling lights LCD television 13" Lockers (mid-level) Mirror Reading lights Stainless Steel opening porthole(s) with flyscreen Wardrobe(s)

Port Helm Station

Granite counter Extending chart table Helm extension for additional equipment installations Seat base stowage Timber flooring

Standard Specification

Access to port and starboard side decks from lower helm Adjustable/Tilt steering wheel Aft cockpit enclosure covers Air conditioning/reverse cycle heating system to main accommodation Anchor winch (hydraulic) Bose DVD/CD/Radio home cinema surround sound system to saloon Bowthruster 25hp Calibrated anchor chain Dining table with Burr Elm features Dripless shaft seals Dual station VHF Radio telephone incorporating intercom between lower and upper helms Echosounder and speedometer/distance log with sea water temperature read out Electrically adjusted backrest dining seating/sunbed Electro-hydraulic trim tabs with catholic protection Full width Master Stateroom with triple portrait portholes port and starboard

Fully equipped flybridge bar Glendinning cable masters GPS/radar/chartplotter interfaced with autopilot Hot and cold water transom shower Large walk-in shower with body jets LCD televisions in saloon and all main cabins Onan generator 2 x 17.5kW Open-plan galley with powered screen Remote control searchlight Remote control, concealed, telescopic hydraulic passerelle . Repeat flybridge engine instrumentation, controls and electronics Self-stowing through-hull Delta anchor Sideboard with icemaker Stainless Steel pantograph windscreen wipers Teak-laid bathing platform Teak-laid bulwarks Teak-laid floor throughout self-draining cockpit Teak-laid oversize flybridge steps Twin independent Recaro helm and co-pilot seats with electric adjustment

Starboard Guest Cabin

Bedside stowage CD/Radio Drawer(s) under bed Full length berths x 2 with interior sprung mattresses LED ceiling lights LCD television 13" Lockers (mid-level) Mirror Reading lights Stainless Steel opening porthole(s) with flyscreen Wardrobe(s)

Waste Water System

Automatic tank discharge with manual override Holding tank for aft cabin (8 gallon/10 US gallon 37L capacity) Holding tanks x 2(85 gallon/100 US gallon (385L) total capacity)

General information

Make:	Fairline
Model:	Squadron 74
Year:	2005
Condition:	Used

Engine

Engine:	CAT C30, 1550 hp
Engine type:	
Fuel type:	Diesel

Measurements

Length:	22.7 m (74.48 ft)
Beam:	5.7 m (18.70 ft)
Deep:	1.61 m (5.28 ft)
Weight:	63380 ()

Accommodation

Cabins:	0
Berths:	0



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts




Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts



Image courtesy of JD Yachts

JD YACHTS LIMITED

80 THE ESPLANADE DT4 7AA WEYMOUTH United Kingdom (UK) Phone: +44 (0) 1305 766504 http://jdyachts.com



